

W Line EQ





Best in class in shaft efficiency



The Common Choice of The World!




Employees

4500



Manufacturing

16



Development Centers

7



Sales Offices

+50



Registered
Patents

500+



Well-Rounded
and Smart Solutions

W Line EQ

FEATURES



180 - 630 kg



1,0 m/s



30 m



Cantilevered



E27L



90°, 180°, 270° entrance and 3 entrances*



Side or center opening




Complete system or mechanical kit only



EN 81-20/EN 81-50/EN 81-21
EN 81-28/EN 81-70

*As special solution



AMSTERDAM


CARS



Stainless Steel Series



● NAPLES



● LOS ANGELES



● HOUSTON



● COPENHAGEN



● NEW YORK




● MANHATTAN



*Please refer to Wittur MCS1 Car Catalogue for further details.

ROMA

Color
SERIES



Color Series




● MUNICH



● ROTTERDAM 9006



● ROTTERDAM 5018



● ROTTERDAM 7032



● ROTTERDAM 3020



● HAMBURG



*Please refer to Wittur MCS1 Car Catalogue for further details.

BOSTON 01

Laminate SERIES



Laminate Series



● BOSTON 02



● BOSTON 03



● BOSTON 04



● ATLANTA



*Please refer to Wittur MCS1 Car Catalogue for further details.
**Feasibility should be checked. Please ask for support.

MONTE
CARLO
BLUE

Glass SERIES



Glass Series



● MONTE CARLO RED



● MONTE CARLO BLACK



● MONTE CARLO WHITE



*Please refer to Wittur MCS1 Car Catalogue for further details.
**Feasibility should be checked. Please ask for support.










Space utilized to the full



Ceilings



*Feasibility and visual differences should be checked. Please refer to the technical catalogue.



Handrails



Tubular straight design
38 mm



Tubular curved
terminal design



Mirror Options



Standard / Full Height



Standard / Half Height



Wide / Full Height



Wide / Half Height



Become more comfortable and safe





DOORS



CORE



HYDRA




AUGUSTA EVO



ECO BUS



DRIVES



SMOOTH, FAST AND COMFORTABLE TRAVEL



| System | Rated Load | Rated Speed | Suspension | Drive Model | Connection | Traction Diameter |
|---------------|---------------|-------------|------------|-------------|--------------|-------------------|
| W Line EQ 375 | 180 - 375* kg | 1,0 m/s | 1:1 | E27L | Terminal Box | Ø180 mm |
| W Line EQ 630 | 375* - 630 kg | 1,0 m/s | 2:1 | E27L | Terminal Box | Ø180 mm |

*According to P weight, system's suspension should be considered.





CONTROLLER



E-Pack Evo

- **Power Range:**
Between 4kW and 22kW.
- **Silent:**
Operates quietly through its contactor-less system (Safe Torque Off - STO).
- **Compact Dimensions:**
Lift controller and frequency inverter integrated in one device.
- **DSP-Based Design:**
Highest level of comfort and efficiency.
- **Fast Installation:**
Pre-arranged cabinet complete with all electrical components.
- **Group Control:**
Support for group of lifts up to 8.
- **Hardware:**
Built-in RFI filter and choke coil.
- **Interfaces:**
USB and Ethernet.
- **Remote Access:**
Remote access via internet.
- **Access Control:**
Integrated access control and VIP Access support.
- **TFT Hand Terminal**
- **Easy Update:**
The hand-held terminal stores all data in the integrated SD card.

E-Pack Plus

- **Compact Dimensions:**
Integrated control with frequency inverter.
- **Fast Installation:**
Pre-arranged cabinet complete with all electrical components.
- **Fits in Every Shaft:**
With compact control cabinet dimensions or with service panel in front of the landing door frame and the power unit inside the head room.
- **Easy Update:**
The hand-held terminal stores all data in the integrated SD card.
- **Easy Setting:**
Automatic motor tuning, shaft learning features.
- **Remote Control:**
Can bus connection between hand-held terminal with colored TFT display and lift. No PC needed.
- **5 Pre-Set Comfort Parameters:**
The 5 most important parameters for fast and safe commissioning.
- **Always Have An Access To The Latest Manuals:**
With hand-held terminal always access to the latest firmware.
- **Further Advantages:**
High stopping accuracy, retraction with opening door, energy-saving mode, releveling, short floor drive, integrated EMC filter and DC choke, 230 VAC safety circuit.
- **Hand Terminal**



Your needs come first





MOON Series





● 932-CT4D



● 732-CT4D



● AC20B2



● AC2202



● AC41B0



● 932-CDD



● 732-CDD



● AC1202



● AC2012



● AC4110

Moon Series are compatible with E-Pack Plus controller.





OCEAN Series





● OcMDD5E0



● OcLDD5E0



● OcDOU0



● OcDUD0



● OcDDV0



● OcR1Bbb



● OcR1Bbr



● OcOUD0



● Oc00U0



● OcD0UK



● OcRUBbb



● OcID00



● OcRUBbr

Ocean Series are compatible with E-Pack Plus controller.



Ocean Series



OcMT04S0



OcLT04S0



OcLOX0



OcLOU0



OcRUBmb



OcRUBmr



OcR1Bmb



OcR1Bmr



Ocean Series are compatible with E-Pack Plus controller.



An aerial photograph of a historic European city square. In the background, a large, ornate orange-brown building with many arched windows stands on the left. To its right is a red brick building with white window frames. Further right is a large brick church with a prominent green dome. The foreground is filled with a dense cluster of colorful buildings with red, orange, and grey tiled roofs. A small green lawn is visible in the middle of the square. The sky is not visible, but the lighting suggests a bright, sunny day.

SUNSET Series



Sunset Series are compatible with E-Pack Evo controller.







Easy & Quick installation

W Line EQ





NOTES:

NOTES:



WITTUR